

PRODUCT FAMILY DATASHEETLUNETTA Shine RGB

Socket nightlight with RGB color adjustment and daylight sensor



AREAS OF APPLICATION

- Children's bedrooms
- Decorative domestic lighting
- For indoor use only

PRODUCT BENEFITS

- Attractive and functional design
- Plug and Play due to EU Plug
- Automatically switches on and off according to the amount of available daylight

PRODUCT FEATURES


- Integrated day/night sensor
- Direct connection to a 220...240 V AC supply
- Color change
- RGB color control



TECHNICAL DATA	Electrical da	ta				Photometric al data	Dimensions & w	eight		PROD	UCT FAMILY DATASHEET Colors & materials
Product description	Nominal wattage	Nominal voltage	Mains frequency	Nominal current	Power factor λ	Color temper- ature	Length	Width	Height	Product weight	Body material
LUNETTA Shine RGB	0.28 W	220240 V	50/60 Hz	0.024 A	≥0.3	2700 6000 K	60.0 mm	60.0 mm	90.0 mm	40.00 g	Polycarbonate (PC)

			Lifespan	Capabilities			Certificates &	& standards
Product description	Product color	Housing color	Number of switching cycles	Dimmable	LED module replaceable	Type of connection	Protection class	Type of protection
LUNETTA Shine RGB	White	White	10000	No	Not replaceable	Plug, EU	II	IP20

roduct description	Standards	Standards				
LUNETTA Shine RGB	CE/EAC/REACH/RoHS					



Product line drawing

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.