

PRODUCT FAMILY DATASHEET

LEDstixx

Little helpers



AREAS OF APPLICATION

- Sideboards
- Flower arrangements
- Practical adhesive surface or drill holes
- Horizontal or vertical alignment on walls or objects

PRODUCT BENEFITS

- Very compact LED luminaire

PRODUCT FEATURES

- Modern luminaire
- High-quality aluminum casing




TECHNICAL DATA

Product description	Electrical data		Photometrical data		Light technical data	Dimensions & weight				Colors & materials	
	Nominal wattage	Nominal voltage	Color temperature	Luminous flux	Beam angle	Length	Width	Height	Product weight	Body material	Product color
LEDstixx	0.6 W	4.5 V	6200 K	25 lm	90.00 °	222.0 mm	16.2 mm	22.0 mm	94.00 g	Aluminum	Silver

Product description	Housing color	Temperatures & operating conditions	Lifespan	Capabilities		Certificates & standards	
		Ambient temperature range	Number of switching cycles	Dimmable	LED module replaceable	Protection class	Type of protection
LEDstixx	Silver	-20...+60 °C	100000	No	Not replaceable	III	IP20

Product description	Standards
LEDstixx	CE



Product line drawing

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.